



SPECIALIST MANUFACTURER OEM/ODM



NINGBO RIDGESIDE OUTDOORS CO.,LTD

Dong Jia Qiao Village, Ji Shi Gang Town, Haishu District , Ningbo City, Zhejiang Province, China

<http://www.ridgeside-paddle.com> ;

<https://ridgeside.en.alibaba.com/>

Peter Xiao

Mobile: 0086-139 6782 7743

Whatsapp: +8613967827743

Wechat: xh13967827743

peter@ridgeside-paddle.com

Ellen Tang

Mobile 0086-13486081476

Whatsapp:+8613486081476

Wechat:13486081476

ellen@ridgeside-paddle.com



Light Weight & High Performance
Kayak

Rigid & Maximum Durable
SUP



COMPANY INFORMATION

We have professional production experience. Welcome to visit us



ABOUT US

NINGBO RIDGESIDE OUTDOORS CO., LTD was found at 2013 in Ningbo, CHINA with a simple goal to make paddle sports accessible to experienced outdoor enthusiasts, first time water explorers and family who wanner adventure and everyone in between.



Design Department



Blow Molding



Thermoforming





Assemble Shop



Injection Molding



Molds



10'10" All Round SUP



FEATURES



Impact resistant



Utility tie-downs



Ironhide construction



Weight limit



Volume

ACTIVITY TYPE




RIDER LEVEL



BOARD DURABILITY



THE RIDE



Blow Molding Technology

High Density Polyethylene (HDPE) Outer shell

Polyurethan (PU) Foam Core Inside

Length: 10'.10" (330.2CM)

Width: 32" (81.3CM)

Thickness: 4.6" (12CM)

Nose rocker: 6.63"(16.9CM)

Tail rocker: 3.25"(8.3CM)

Volume: 200 L

Weight Limit: 280 LBS (127 KGS)

Board avg.weight: 32.1 LBS (14.6 KGS)

Standard Accessories:

Plastic Fin

Packing:

- 1: Carton or Bubble bag.
- 2: 340 x 84.5x 16 cm
- 3: GW is 20 KGS
- 4: 20FT container: 30pcs if use carton
45pcs if use bubble bag
- 5: 40HQ container: 117pcs if use carton
150pcs if use bubble bag

11' Touring SUP



FEATURES



Impact resistant



Utility tie-downs



Ironhide construction



Weight limit



Volume

ACTIVITY TYPE



Leisure Adventure Fitness Fishing

RIDER LEVEL



Rookie Intermediate Expert

BOARD DURABILITY




Tough Refined

THE RIDE



Max stability Basic balance Advanced agility



Blow Molding Technology

High Density Polyethylene (HDPE) Outer shell

Polyurethan (PU) Foam Core Inside

Length: 11' (335CM)

Width: 32" (81.3CM)

Thickness: 4.6" (12CM)

Nose rocker: 6.1"(15.5CM)

Tail rocker: 4.3"(10.9CM)

Volume: 206 L

Weight Limit: 286 LBS (130 KGS)

Board avg.weight: 34.1 LBS (15.5 KGS)

Standard Accessories:

Plastic Fin

Packing:

- 1: Carton or Bubble bag.
- 2: 340 x 84.5x 16 cm
- 3: GW is 20 KGS
- 4: 20FT container:
30pcs if use carton
45pcs if use bubble bag
- 5: 40HQ container:
108pcs if use carton
150pcs if use bubble bag









14 ST- Thermoformed Kayak



<p>ACRYLIC ASA ABS</p>	<p>Thermoforming Technology The material consists of three layers The upper material is transparent Acrylic The middle material is uvioresistant ASA The lower material is High- Impact ABS</p>	<p>Length: 426cm (14') Depth: 40.9cm (16.1") Max Capacity: 155 KGS (342lbs) Seat: Adjustable Tightbrances: Standard Middle hatch: diameter 16.5cm</p>	<p>Width: 59.4cm (23.4") Weight: 22 KGS (48.5 lbs) Cockpit opening: 81.3x43.5cm Rudder: Yes Front Hatch: 36.0x20.0cm Rear hatch: 46.5x30.5cm</p>
Packing	Characteristics		
<p>1 layer Nylon bag inside ; 1 layer Bubble bag outside Foam protector and cardboard holder on rear and top 430x61x42cm after packed; GW is 25KGS.</p>	<p>Patented rudder system Swing in four direction</p>		
<p>20pcs for 20FT container 72pcs for 40HQ container</p>	<p>Double injection molded hatch</p>		
	<p>Smart Pedal system rolling adjustment</p>	<p>Integrative cockpit coaming</p>	<p>Elastic handle</p>
	<p>Adjustable seat system</p>		

14 GT- Thermoformed Kayak



 <p>ACRYLIC</p> <p>ASA</p> <p>ABS</p>	<p>Thermoforming Technology</p> <p>The material consists of three layers</p> <p>The upper material is transparent Acrylic</p> <p>The middle material is uvioresistant ASA</p> <p>The lower material is High- Impact ABS</p>	<p>Length: 426cm (14')</p> <p>Depth: 40.9cm (16.1")</p> <p>Max Capacity: 155 KGS (342 lbs)</p> <p>Seat: Adjustable</p> <p>Tightbrances: Standard</p> <p>Middle hatch: diameter 16.5cm</p>	<p>Width: 59.4cm (23.4")</p> <p>Weight: 21 KGS (46.3 lbs)</p> <p>Cockpit opening: 81.3x43.5cm</p> <p>Rudder: Yes</p> <p>Front Hatch: 36.0x20.0cm</p> <p>Rear hatch: 46.5x30.5cm</p>
<p>Packing</p> <p>1 layer Nylon bag inside ; 1 layer Bubble bag outside</p> <p>Foam protector and cardboard holder on rear and top</p> <p>430x61x42cm after packed; GW is 24 KGS.</p> <p>20pcs for 20FT container</p> <p>72pcs for 40HQ container</p> 	<p>Characteristics</p> <div data-bbox="788 1061 1240 1321"><p>Folding skeg system</p></div> <div data-bbox="1263 1061 1688 1321"><p>Smart pedal system</p><p>Rolling adjustment</p></div> <div data-bbox="1711 1061 2136 1321"><p>Integrative cockpit coaming</p></div> <div data-bbox="788 1337 1240 1560"><p>Double injection molded hatch</p></div> <div data-bbox="1263 1337 1688 1560"><p>Adjustable seat system</p></div> <div data-bbox="1711 1337 2136 1560"><p>Elastic handle</p></div>		









14.2 ST- Thermoformed Kayak



<p>ACRYLIC ASA ABS</p>	<p>Thermoforming Technology The material consists of three layers The upper material is transparent Acrylic The middle material is uvioresistant ASA The lower material is High- Impact ABS</p>	<p>Length: 432cm (14'2") Depth: 39cm (15.4") Max Capacity: 160KGS(353 lbs) Seat: Adjustable Tightbrances: Standard Middle hatch: diameter 16.5cm</p>	<p>Width: 58.6cm (23.1") Weight: 22.8 KGS (50.3 lbs) Cockpit opening: 81.3x43.5cm Rudder: Yes Front Hatch: 36.0x20.0cm Rear hatch: 46.5x30.5cm</p>
Packing	Characteristics		
<p>1 layer Nylon bag inside ; 1 layer Bubble bag outside Foam protector and cardboard holder on rear and top 440x61x40cm after packed; GW is 26KGS.</p>	<p>Patented rudder system Swing in four direction</p>		
<p>20pcs for 20FT container</p>	<p>Double injection molded hatch</p>		
<p>72pcs for 40HQ container</p>	<p>Smart pedal system Rolling adjustment</p>		
	<p>Integrative cockpit coaming</p> <p>Elastic handle</p>		
	<p>Adjustable seat system</p>		

14.2 GT- Thermoformed Kayak



 <p>ACRYLIC ASA ABS</p>	<p>Thermoforming Technology The material consists of three layers The upper material is transparent Acrylic The middle material is uvioresistant ASA The lower material is High- Impact ABS</p>	<p>Length: 432cm (14'2") Depth: 39cm (15.4") Max Capacity: 160KGS(353 lbs) Seat: Adjustable Tightbrances: Standard Middle hatch: diameter 16.5cm</p>	<p>Width: 58.6cm (23.1") Weight: 21.8 KGS (48.1 lbs) Cockpit opening: 81.3x43.5cm Rudder: Yes Front Hatch: 36.0x20.0cm Rear hatch: 46.5x30.5cm</p>
Packing	Characteristics		
<p>1 layer Nylon bag inside ; 1 layer Bubble bag outside Foam protector and cardboard holder on rear and top 440x61x40cm after packed; GW is 25KGS. 20pcs for 20FT container 72pcs for 40HQ container</p>	 <p>Folding skeg system</p>	 <p>Smart pedal system Rolling adjustment</p>	 <p>Integrative cockpit coaming</p>
	 <p>Double injection molded hatch</p>	 <p>Adjustable seat system</p>	 <p>Elastic handle</p>

BM-D001 Blow Molded Kayak






Blow Molding Technology	
-------------------------	--

High Density Polyethylene (HDPE)	
-----------------------------------	--

Length	8'4" (254cm)
Width	29.5" (74.9cm)
Depth	12.4" (31.6cm)
Boat avg weight	40.8 lbs (18.5kgs)
Weight Capacity	242 lbs (110kgs)
Thickness	3.5mm
Paddler	One person
Application	Fishing & Recreation
Type	Sit on top

Standard Accessories:	4pcs drain plugs; Bungee; Backrest
-----------------------	------------------------------------

Details		
		

Packing
First option: Two layers plastic bags and carton protector on top and rear of kayak. 40HQ Container--180pcs; 66pcs--20FT container
Second option: (3 dollars more than first option) Every Kayak with single plastic bag. and every 6pcs kayaks stand upright on a blow molded pallet. 40HQ container--180pcs Not suitable for 20ft container due to height

BM-P001 Blow Molded Kayak



Blow Molding Technology

High Density Polyethylene (HDPE)

Length	8'4" (254cm)
Width	29.5" (74.9cm)
Depth	12.4" (31.6cm)
Boat avg weight	40.8 lbs (18.5kgs)
Weight Capacity	242 lbs (110kgs)
Thickness	3.5mm
Paddler	One person
Application	Fishing & Recreation
Type	Sit on top

Standard Accessories:	4pcs drain plugs; Bungee; Backrest
-----------------------	------------------------------------

Details



First option:
Two layers plastic bags and carton protector on top and rear of kayak.
40HQ Container--180pcs; 66pcs--20FT container

Second option: (3 dollars more than first option)
Every Kayak with single plastic bag. and every 6pcs kayaks stand upright on a blow molded pallet.
40HQ container--180pcs
Not suitable for 20ft container due to height

BM-P002 Children Kayak



Blow Molding Technology

High Density Polyethylene (HDPE)

Length	6' (182.5cm)
Width	24" (61cm)
Depth	9" (23cm)
Boat avg weight	21 lbs (9.6kgs)
Weight Capacity	132 lbs (60kgs)
Color	Blue, Red, Yellow , Greem, Orange Accept customization
Paddler	Children & Youth
Application	Recreation
Type	Sit on top

Standard Accessories:	Drain plugs; Backrest
-----------------------	-----------------------

Details




Packing

All kayaks are well packed by two layers. The inner layer is bubble bag, and the top layer is plastic bag.
40HQ Container--343pcs;
20FT Container--150pcs.

SUP Accessories

Two Pieces SUP Paddle



Length--171.78cm (67.63")
Full extended length--226cm (89")
Blade size: 49.86cm x 21.92cm
1.1kg Avg.Weight
Blade: Glassfiber reinforced Nylon
Shaft: Light weight Aluminum

Three Pieces SUP Paddle



Length--169.91cm (66.5")
Full extended length--208cm (82")
Blade size: 49.86cm (19.63") x 21.92cm (8.63")
1.13kg Avg.Weight
Blade: Glassfiber reinforced Nylon
Shaft: Light weight Aluminum

Adjustable Standard Fin



Depth 24.1cm
Base: 15.1cm
Fin Material: Glassfiber reinforced Nylon
Screw Material: SS316

Coiled Safty Leash



High quality TPU material
The leash can be stretched to 3.3meter
Metals component are saltwater corrosion resisting

Three Pieces SUP Paddle



Length--167cm (71")
Full extended length--217cm (85.5")
Blade size: 42.5cm x 20cm
0.9kg Avg.Weight
Blade: Glassfiber reinforced PP
Shaft: Light weight Aluminum

Three Pieces SUP Paddle



Length--167cm (71")
Full extended length--217cm (85.5")
Blade size: 49cm x 18.5cm
0.8kg Avg.Weight
Blade: Carbon + Bamboo
Shaft: 3K carbon

Two Pieces SUP Paddle



Length--180cm (71")
Full extended length--217cm (85.5")
Blade size: 46.5cm x 17.5cm
0.67kg Avg.Weight
Blade and Shaft: 3K carbon

Carry Shoulder Strap



Durable UV resistant polypropylene strap
Heavy-duty nylon buckles
Neoprene padded

Kayak Accessories



Four Pieces Kayak Paddle

Length--230cm (90.5")

Blade Length: 47cm (18.5")

Blade width: 19cm (7.5")

0.95kg Avg.Weight

Blade: Glassfiber reinforced PP

Shaft: Light weight Aluminum



Four Pieces Kayak Paddle

Length--220cm (86.6")

Blade Length: 49cm (19.3")

Blade width: 19cm (7.5")

1.0kg Avg.Weight

Blade: Glassfiber reinforced PP

Shaft: Light weight Aluminum



Life Jacket For Kids

CE Certification

Shell Material: 210D Oxford Textile Fabric

Buoyancy Material: EPE Foam

0.8kg Avg.Weight

Max Weight Capacity--25kgs (S), 45kgs (M)



Kayak Spray Skirt

Waterproof 3.8mm neoprene

Heavy-duty rubber seal to cockpit tightly

Size: 83cm(32.7") x 46cm (18.1")

0.7kg Avg.Weight



Two Pieces Kayak Paddle

Length--220cm (86.6")


Blade Length: 49cm (19.3")

Blade width: 19cm (7.5")

0.85kg Avg.Weight

Blade: Glassfiber reinforced PP

Shaft: 3K carbon



Kayak Paddle For Kids

Length--160cm (63") or 183cm(72")


Blade Length: 33.5cm (13.2")

Blade width: 16cm (6.3")

0.65kg Avg.Weight

Blade: PP

Shaft: Light weight Aluminum



Life Jacket For Adult/Youth

CE Certification

Shell: 210D Oxford Textile Fabric

Buoyancy Material: EPE Foam

0.6kg Avg.Weight

Max Weight Capacity--100kgs



Kayak Cockpit Cover

Waterproof 3.8mm neoprene

3/8" stitched bungee

Size: 83cm(32.7") x 46cm (18.1")

0.45kg Avg.Weight